

Evenity (romosozumab-aqqg) Injection Order Form

 \Box Other – please fax preferred reaction orders to 405-442-7223

405-442-7577 📗 405-442-7223
orders@premierinfusioncenter.com
⊉ Patient Information
• Full Name:
• Date of Birth:/
• Phone: Email:
• Address:
Weight: lb/kg
Allergies: □ NKDA □
• Treatment Status: New Continued Last Treatment Date://
◆ <u>Diagnosis (ICD-10 Selection)</u>
□ M81.0 – Age-related osteoporosis without current pathological fracture
\square M80.00XA – Age-related osteoporosis with current pathological fracture, initial encounter
□ M80.00XS – Age-related osteoporosis with current pathological fracture, sequela
☐ Other: ICD-10 Code:
• Injection Order
□ 210 mg subcutaneous injection once monthly × 12 doses
□ Administer as two separate 105 mg injections
□ Injection sites: abdomen, thigh, or upper arm
□ Refills: □ None □ 12 months □ Other:
Adverse Reaction & Anaphylaxis Orders
X Premier Infusion Center Protocol (premierinfusioncenter.com)

Premedication (Optional)					
□ Acetaminophen: □ 650 mg	□РО				
□ Diphenhydramine: □ 25 mg	□ 50 mg	□РО	\square IV		
□ Loratadine: □ 10 mg □ PO					
□ Famotidine: □ 20 mg □ IV					
\square Methylprednisolone: \square 125 mg	\square IV				
☐ Other:	Dose:		Route:		
 Laboratory Monitoring 					
□ Calcium level (≥8.3 mg/dL withi	n 90 days c	of first dose	e)		
□ CBC □ CMP □ Creatini	ne				
☐ Other:					
Frequency: □ Prior to first dose	☐ Month	nly □C	ther:		
\square Physician office will order labs of	only				
 Clinical Documentation Che 	<u>cklist</u>				
☐ Recent progress notes ☐ La	ıst H&P	□ Lab res	sults	\square Medication list	
☐ DEXA scan (T-score ≤ -2.5) or fra	acture histo	ory			
 Ordering Provider & Demogra 	aphics				
• Name:					
NPI: License	e #:				
Contact:	Р	hone:		Fax:	
• Email:					
Signature:		Da	ite:	1 1	